


Curved gantries

- ▶ Curved gantries with single or double tempered glass
- ▶ Round supports in stainless steel AISI 304 with polished or scotch brite finishing
- ▶ LED lighting, heating elements or halogen lamps
- ▶ To be fixed on the drop-in element frame



Double curved glass round support Ø=30mm




POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185	ISVD2
3	1110x510x420	8046186	ISVD3
4	1440x510x420	8046187	ISVD4
5	1765x510x420	8046188	ISVD5
6	2090x510x420	8046189	ISVD6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185SB	ISVD2SB
3	1110x510x420	8046186SB	ISVD3SB
4	1440x510x420	8046187SB	ISVD4SB
5	1765x510x420	8046188SB	ISVD5SB
6	2090x510x420	8046189SB	ISVD6SB

Single curved glass round support Ø=30mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250	ISVS2
3	1110x360x420	8046251	ISVS3
4	1440x360x420	8046252	ISVS4
5	1765x360x420	8046253	ISVS5
6	2090x360x420	8046254	ISVS6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250SB	ISVS2SB
3	1110x360x420	8046251SB	ISVS3SB
4	1440x360x420	8046252SB	ISVS4SB
5	1765x360x420	8046253SB	ISVS5SB
6	2090x360x420	8046254SB	ISVS6SB

Single glass + front glass
tubular support 60x30 mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046270BI	ISVSFRY2I
3	1110x510x420	8046271BI	ISVSFRY3I
4	1440x510x420	8046272BI	ISVSFRY4I
5	1765x510x420	8046273BI	ISVSFRY5I
6	2090x510x420	8046274BI	ISVSFRY6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046270BSBI	ISVSFRY2SBI
3	1110x510x420	8046271BSBI	ISVSFRY3SBI
4	1440x510x420	8046272BSBI	ISVSFRY4SBI
5	1765x510x420	8046273BSBI	ISVSFRY5SBI
6	2090x510x420	8046274BSBI	ISVSFRY6SBI

Accessories for gantries

LED LIGHTING

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046190	ILS2
3	1045x125x75	8046191	ILS3
4	1375x125x75	8046192	ILS4
5	1700x125x75	8046193	ILS5
6	2025x125x75	8046225	ILS6

HEATING ELEMENT

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046194	IRS2
3	1045x125x75	8046195	IRS3
4	1375x125x75	8046196	IRS4
5	1700x125x75	8046197	IRS5
6	2025x125x75	8046227	IRS6

HALOGEN LAMP

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046198	ILRS2
3	1045x125x75	8046199	ILRS3
4	1375x125x75	8046200	ILRS4
5	1700x125x75	8046201	ILRS5
6	2025x125x75	8046229	ILRS6



Squared independents gantries

- ▶ Squared gantries with single or double tempered glass
- ▶ Tubular supports 60x30 mm in stainless steel AISI 304 with polished or scotch brite finishing
- ▶ LED lighting, heating elements or halogen lamps
- ▶ To be fixed on the top



Squared double glass tubular support 60x30 mm



Squared single glass tubular support 60x30 mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185BI	ISVRDRY2I
3	1110x510x420	8046186BI	ISVRDRY3I
4	1440x510x420	8046187BI	ISVRDRY4I
5	1765x510x420	8046188BI	ISVRDRY5I
6	2090x510x420	8046189BI	ISVRDRY6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185BSBI	ISVRDRY2SBI
3	1110x510x420	8046186BSBI	ISVRDRY3SBI
4	1440x510x420	8046187BSBI	ISVRDRY4SBI
5	1765x510x420	8046188BSBI	ISVRDRY5SBI
6	2090x510x420	8046189BSBI	ISVRDRY6SBI

POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250BI	ISVRSRY2I
3	1110x360x420	8046251BI	ISVRSRY3I
4	1440x360x420	8046252BI	ISVRSRY4I
5	1765x360x420	8046253BI	ISVRSRY5I
6	2090x360x420	8046254BI	ISVRSRY6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250BSBI	ISVRSRY2SBI
3	1110x360x420	8046251BSBI	ISVRSRY3SBI
4	1440x360x420	8046252BSBI	ISVRSRY4SBI
5	1765x360x420	8046253BSBI	ISVRSRY5SBI
6	2090x360x420	8046254BSBI	ISVRSRY6SBI


Double curved glass

tubular support 60x30 mm



Single curved glass

tubular support 60x30 mm



Tempered front glass

for curved gantries



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185QI	ISVDRY2I
3	1110x510x420	8046186QI	ISVDRY3I
4	1440x510x420	8046187QI	ISVDRY4I
5	1765x510x420	8046188QI	ISVDRY5I
6	2090x510x420	8046189QI	ISVDRY6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185QSBI	ISVDRY2SBI
3	1110x510x420	8046186QSBI	ISVDRY3SBI
4	1440x510x420	8046187QSBI	ISVDRY4SBI
5	1765x510x420	8046188QSBI	ISVDRY5SBI
6	2090x510x420	8046189QSBI	ISVDRY6SBI

POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250QI	ISVSRY2I
3	1110x360x420	8046251QI	ISVSRY3I
4	1440x360x420	8046252QI	ISVSRY4I
5	1765x360x420	8046253QI	ISVSRY5I
6	2090x360x420	8046254QI	ISVSRY6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250QSBI	ISVSRY2SBI
3	1110x360x420	8046251QSBI	ISVSRY3SBI
4	1440x360x420	8046252QSBI	ISVSRY4SBI
5	1765x360x420	8046253QSBI	ISVSRY5SBI
6	2090x360x420	8046254QSBI	ISVSRY6SBI

Dim. L mm	Code	Model
685x280	8046155	IFS2
1010x280	8046156	IFS3
1340x280	8046157	IFS4
1665x280	8046158	IFS5
1990x280	8046159	IFS6

Curved independents gantries

- ▶ Curved gantries with single or double tempered glass
- ▶ Round supports in stainless steel AISI 304 with polished or scotch brite finishing
- ▶ LED lighting, heating elements or halogen lamps
- ▶ To be fixed on the top



Double curved glass round support Ø=30mm



Single curved glass round support Ø=30mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185I	ISVD2I
3	1110x510x420	8046186I	ISVD3I
4	1440x510x420	8046187I	ISVD4I
5	1765x510x420	8046188I	ISVD5I
6	2090x510x420	8046189I	ISVD6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185SBI	ISVD2SBI
3	1110x510x420	8046186SBI	ISVD3SBI
4	1440x510x420	8046187SBI	ISVD4SBI
5	1765x510x420	8046188SBI	ISVD5SBI
6	2090x510x420	8046189SBI	ISVD6SBI

POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250I	ISVS2I
3	1110x360x420	8046251I	ISVS3I
4	1440x360x420	8046252I	ISVS4I
5	1765x360x420	8046253I	ISVS5I
6	2090x360x420	8046254I	ISVS6I

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250SBI	ISVS2SBI
3	1110x360x420	8046251SBI	ISVS3SBI
4	1440x360x420	8046252SBI	ISVS4SBI
5	1765x360x420	8046253SBI	ISVS5SBI
6	2090x360x420	8046254SBI	ISVS6SBI

Single glass + front glass
tubular support 60x30 mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046270B	ISVSFRY2
3	1110x510x420	8046271B	ISVSFRY3
4	1440x510x420	8046272B	ISVSFRY4
5	1765x510x420	8046273B	ISVSFRY5
6	2090x510x420	8046274B	ISVSFRY6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046270BSB	ISVSFRY2SB
3	1110x510x420	8046271BSB	ISVSFRY3SB
4	1440x510x420	8046272BSB	ISVSFRY4SB
5	1765x510x420	8046273BSB	ISVSFRY5SB
6	2090x510x420	8046274BSB	ISVSFRY6SB

Accessories for gantries

LED LIGHTING

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046190	ILS2
3	1045x125x75	8046191	ILS3
4	1375x125x75	8046192	ILS4
5	1700x125x75	8046193	ILS5
6	2025x125x75	8046225	ILS6

HEATING ELEMENT

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046194	IRS2
3	1045x125x75	8046195	IRS3
4	1375x125x75	8046196	IRS4
5	1700x125x75	8046197	IRS5
6	2025x125x75	8046227	IRS6

HALOGEN LAMP

GN 1/1	Dim. L mm	Code	Model
2	720x125x75	8046198	ILRS2
3	1045x125x75	8046199	ILRS3
4	1375x125x75	8046200	ILRS4
5	1700x125x75	8046201	ILRS5
6	2025x125x75	8046229	ILRS6



Squared gantries

- ▶ Squared gantries with single or double tempered glass
- ▶ Tubular supports 60x30 mm in stainless steel AISI 304 with polished or scotch brite finishing
- ▶ LED lighting, heating elements or halogen lamps
- ▶ To be fixed on the drop-in element frame



Squared double glass tubular support 60x30 mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185B	ISVRDRY2
3	1110x510x420	8046186B	ISVRDRY3
4	1440x510x420	8046187B	ISVRDRY4
5	1765x510x420	8046188B	ISVRDRY5
6	2090x510x420	8046189B	ISVRDRY6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185BSB	ISVRDRY2SB
3	1110x510x420	8046186BSB	ISVRDRY3SB
4	1440x510x420	8046187BSB	ISVRDRY4SB
5	1765x510x420	8046188BSB	ISVRDRY5SB
6	2090x510x420	8046189BSB	ISVRDRY6SB

Squared single glass tubular support 60x30 mm



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250B	ISVRSRY2
3	1110x360x420	8046251B	ISVRSRY3
4	1440x360x420	8046252B	ISVRSRY4
5	1765x360x420	8046253B	ISVRSRY5
6	2090x360x420	8046254B	ISVRSRY6


SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250BSB	ISVRSRY2SB
3	1110x360x420	8046251BSB	ISVRSRY3SB
4	1440x360x420	8046252BSB	ISVRSRY4SB
5	1765x360x420	8046253BSB	ISVRSRY5SB
6	2090x360x420	8046254BSB	ISVRSRY6SB

Double curved glass
tubular support 60x30 mm



Single curved glass
tubular support 60x30 mm



Tempered front glass
for curved gantries



POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185Q	ISVDRY2
3	1110x510x420	8046186Q	ISVDRY3
4	1440x510x420	8046187Q	ISVDRY4
5	1765x510x420	8046188Q	ISVDRY5
6	2090x510x420	8046189Q	ISVDRY6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x510x420	8046185QSB	ISVDRY2SB
3	1110x510x420	8046186QSB	ISVDRY3SB
4	1440x510x420	8046187QSB	ISVDRY4SB
5	1765x510x420	8046188QSB	ISVDRY5SB
6	2090x510x420	8046189QSB	ISVDRY6SB

POLISHED SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250Q	ISVSRY2
3	1110x360x420	8046251Q	ISVSRY3
4	1440x360x420	8046252Q	ISVSRY4
5	1765x360x420	8046253Q	ISVSRY5
6	2090x360x420	8046254Q	ISVSRY6

SCOTCH BRITE SUPPORT

GN 1/1	Dim. LxPxH mm	Code	Model
2	785x360x420	8046250QSB	ISVSRY2SB
3	1110x360x420	8046251QSB	ISVSRY3SB
4	1440x360x420	8046252QSB	ISVSRY4SB
5	1765x360x420	8046253QSB	ISVSRY5SB
6	2090x360x420	8046254QSB	ISVSRY6SB

Dim. L mm	Code	Model
685x280	8046155	IFS2
1010x280	8046156	IFS3
1340x280	8046157	IFS4
1665x280	8046158	IFS5
1990x280	8046159	IFS6